



KINGCRAFT INDUSTRIES
Mfgs of Industrial Caster Wheel





About KING CRAFT

KINGCRAFT INDUSTRIES Founded in the Year 2010 is a Leading Manufacturer of Stainless Steel Fabricated ,Stainless Steel Die Pressed Caster And Mild Steel Caster.

As an ISO 9001 : 2015 Accredited manufacturer consumers can be assured of the manufactured Quality Both in Design As well as in process. Our dedicated team of experts work around the clock aiming to improve on our Innovation. Kingcraft Industries have Two divisions within it's portfolio. The First being to satisfy the need of the Retailer And Wholesalers the Second being an innovative boutique Manufacturer for our Industrial Customers to Optimize its operation.The company has adopted leading edge technologies efficiency Processes And Management.

KINGCRAFT INDUSTRIES aims to emerge as a significant player in the Caster industries based on technical and managerial capabilities Our Ultimate Goal Being to ensure that Our Product Conforms towards the highest of standards.



Stainless Steel Fabricated Caster On Polyurethane Wheel

PLATE TYPE



Stainless Steel (SS304) Fabricated in Swivel & Fix Bracket . Swivel Type model Contain Double Ball Bearing and the body structure in constructed by ARC welding, Axle of Wheel contain self locking nut



Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)	Wheel Bearing
SSF/50X25/PT/PU	50	25	75 X 50	60 X 30	6	75	30	45	Single
SSF/75X25/PT/PU	75	25	75 X 65	54 X 43	8	95	50	65	Single
SSF/75X32/PT/PU	75	32	75 X 75	55 X 55	9	105	80	115	Single
SSF/100X32/PT/PU	100	32	75 X 75	55 X 55	9	135	85	125	Single
SSF/100X38/PT/PU	100	38	100 X 80	80 X 60	10	135	105	150	Single
SSF/100X50/PT/PU	100	50	100 X 100	75 X 75	10	135	125	180	Double
SSF/125X32/PT/PU	125	32	100 X 80	80 X 60	10	155	110	155	Single
SSF/125X38/PT/PU	125	38	100 X 80	80 X 60	10	155	130	160	Single
SSF/125X50/PT/PU	125	50	125 X 100	100 X 75	12	155	160	225	Double
SSF/150X38/PT/PU	150	38	125 X 100	100 X 75	12	185	175	235	Single
SSF/150X50/PT/PU	150	50	125 X 100	100 X 75	12	185	200	260	Double
SSF/200X50/PT/PU	200	50	125 X 125	100 X 100	12	245	225	300	Double

PIN TYPE



Stainless Steel (SS304) Fabricated in Swivel & Fix Bracket .Swivel Type model Contain Double Ball Bearing and the body structure in constructed by ARC welding,Axle of Wheel contain self locking nut



Model No	Dia	Width	Pin Dia	Pin Height	Total Height	Dynamic (KG)	Static (KG)	Wheel Bearing
SSF/50X25/PI22/PU	50	25	22	50	75	30	45	Single
SSF/75X25/PI22/PU	75	25	22	50	95	50	65	Single
SSF/75X32/PI22/PU	75	32	22	50	105	80	115	Single
SSF/100X32/PI22/PU	100	32	22	50	135	85	125	Single
SSF/100X38/PI22/PU	100	38	22	50	135	105	150	Single
SSF/100X50/PI22/PU	100	50	22	50	135	125	180	Double
SSF/125X32/PI22/PU	125	32	22	50	155	110	155	Single
SSF/125X38/PI22/PU	125	38	22	50	155	130	160	Single
SSF/125X50/PI22/PU	125	50	22	50	155	160	225	Double
SSF/150X38/PI22/PU	150	38	22	50	185	175	235	Single
SSF/150X50/PI22/PU	150	50	22	50	185	200	260	Double
SSF/200X50/PI32/PU	200	50	32	50	245	225	300	Double

Stainless Steel Fabricated Caster On Uhmw Wheel

PLATE TYPE



Stainless Steel (SS304) Fabricated in Swivel & Fix Bracket
 .Swivel Type model Contain Double Ball Bearing and the
 body structure in constructed by ARC welding, Axle of
 Wheel contain self locking nut



Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)	Wheel Bearing
SSF/50X25/PT/UHMW	50	25	75 X 50	60 X 30	6	75	40	60	Single
SSF/75X25/PT/UHMW	75	25	75 X 65	54 X 43	8	95	65	80	Single
SSF/75X32/PT/UHMW	75	32	75 X 75	55 X 55	9	105	90	130	Single
SSF/100X32/PT/UHMW	100	32	75 X 75	55 X 55	9	135	100	150	Single
SSF/100X38/PT/UHMW	100	38	100 X 80	80 X 60	10	135	135	190	Single
SSF/100X50/PT/UHMW	100	50	100 X 100	75 X 75	10	135	160	230	Double
SSF/125X32/PT/UHMW	125	32	100 X 80	80 X 60	10	155	140	190	Single
SSF/125X38/PT/UHMW	125	38	100 X 80	80 X 60	10	155	165	200	Single
SSF/125X50/PT/UHMW	125	50	125 X 100	100 X 75	12	155	200	280	Double
SSF/150X38/PT/UHMW	150	38	125 X 100	100 X 75	12	185	220	300	Single
SSF/150X50/PT/UHMW	150	50	125 X 100	100 X 75	12	185	250	325	Double
SSF/200X50/PT/UHMW	200	50	125 X 125	100 X 100	12	245	280	375	Double

PLATE TYPE



Stainless Steel (SS304) Die Pressed in Swivel & Fix Bracket .Swivel Type model Contain Double Ball Bearing With Double Break ie.Wheel Lock and Plate Lock And the body structure in constructed by Die Pressed With Center Body Reveit



Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)
SSD/50X25/PT/PU	50	25	51 X 70	35 X 52	8	70	30	40
SSD/75X32/PT/PU	75	32	70 X 95	46 X 74	9	105	40	60
SSD/100X32/PT/PU	100	32	70 X 95	46 X 74	9	125	70	90
SSD/125X32/PT/PU	125	32	70 X 95	46 X 74	9	155	100	130

Stainless Steel Die Pressed Caster On Polyurthane Wheel Stud Type

STUD TYPE



Model No	Dia	Width	Stud Dia Size	Pin Height	Total Height	Dynamic (KG)	Static (KG)
SSD/50X25/M10/PU	50	25	M10	38	70	30	40
SSD/75X32/M12/PU	75	32	M12	38	105	40	60
SSD/100X32/M12/PU	100	32	M12	38	125	70	90
SSD/125X32/M12/PU	125	32	M12	38	155	100	130

Stainless Steel Die Pressed Caster On Polyurthane Wheel Pin Type

PIN TYPE



Model No	Dia	Width	Pin Dia	Pin Height	Total Height	Dynamic (KG)	Static (KG)
SSD/50X25/PI/PU	50	25	21	38	70	30	40
SSD/75X32/PI/PU	75	32	21	38	105	40	60
SSD/100X32/PI/PU	100	32	21	38	125	70	90
SSD/125X32/PI/PU	125	32	21	38	155	100	130

Red PU Wheel White PP/CP Wheel



Red PU Wheel



White PP Wheel



Black PU Wheel

Zinc Plated Die Pressed Caster On Polyurthane Wheel

PLATE TYPE



PU Wheels Available
in two Colours



RED

GRAY

Zinc Plated Die Pressed Castor in Swivel & Fix Bracket .Swivel Type model Contain Double Ball Bearing With Double Break ie.Wheel Lock And Plate Lock and the body structure in constructed by Die Pressed With Center Body Revit .All PU Wheels With Single Ball Bearing



Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)
ZPD/50X25/PT/PU	50	25	51 X 70	35 X 52	8	70	30	40
ZPD/75X32/PT/PU	75	32	70 X 95	46 X 74	9	105	40	60
ZPD/100X32/PT/PU	100	32	70 X 95	46 X 74	9	125	70	90
ZPD/125X32/PT/PU	125	32	70 X 95	46 X 74	9	155	100	130

Zinc Plated Die Pressed Caster On White Polyproplene



Zinc Plated Die Pressed Castor is in Swivel & Fix Bracket .Swivel Type model Contain Double Ball Bearing With Double Break ie.Wheel Lock And Plate Lock and the body structure in Assembled by Die Pressed With Center Body Revit .

75mm And 100mm PP Wheel With Single Ball Bearing



Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)
ZPD/50X25/PT/PP	50	25	51 X 70	35 X 52	8	70	30	40
ZPD/75X32/PT/PP	75	32	70 X 95	46 X 74	9	105	40	60
ZPD/100X32/PT/PP	100	32	70 X 95	46 X 74	9	125	70	90
ZPD/125X32/PT/PP	125	32	70 X 95	46 X 74	9	155	100	130

Zinc Plated Die Pressed Caster On Polyurthane Wheel

PIN TYPE



PU Wheels Available in two Colours



Also Available in Stud Type ie:- M10 ,M12 Type



Model No	Dia	Width	Pin Dia	Pin Height	Total Height	Dynamic (KG)	Static (KG)
ZPD/50X25/PI/PU	50	25	21	38	70	30	40
ZPD/75X32/PI/PU	75	32	21	38	105	40	60
ZPD/100X32/PI/PU	100	32	21	38	125	70	90
ZPD/125X32/PI/PU	125	32	21	38	155	100	130

Zinc Plated Die Pressed Caster On Blue Rubber Wheels

PLATE TYPE



Also Available in Stud Type ie:- M10 ,M12 Type

Also Available in Pin Type ie:- 22mm Dia Pin Type




Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)
ZPD/75X32/PT/PP	75	32	70 X 95	46 X 74	9	105	40	60
ZPD/100X32/PT/BR	100	32	70 X 95	46 X 74	9	125	70	90
ZPD/125X32/PT/BR	125	32	70 X 95	46 X 74	9	155	100	130

PLATE TYPE



Also Available in Stud Type ie:- M12 Type

Also Available in Pin Type ie:- 22mm Dia Pin Type



Model No	Dia	Width	Plate Size	Bolt Hole Spacing	Hole Size	Total Height	Dynamic (KG)	Static (KG)	Wheel Bearing
SSFN/50X25/PT/PU	50	25	75 X 50	60 X 30	6	75	30	45	Single
SSFN/75X25/PT/PU	75	25	75 X 65	54 X 43	8	95	50	65	Single
SSFN/75X32/PT/PU	75	32	75 X 75	55 X 55	9	105	80	115	Single
SSFN/100X32/PT/PU	100	32	75 X 75	55 X 55	9	125	85	125	Single
SSFN/100X38/PT/PU	100	38	100 X 80	80 X 60	10	135	105	150	Single
SSFN/100X50/PT/PU	100	50	100 X 100	75 X 75	10	135	125	180	Double
SSFN/125X32/PT/PU	125	32	100 X 80	80 X 60	10	155	110	155	Single
SSFN/125X38/PT/PU	125	38	100 X 80	80 X 60	10	155	130	160	Single
SSFN/125X50/PT/PU	125	50	125 X 100	100 X 75	12	155	160	225	Double
SSFN/150X38/PT/PU	150	38	125 X 100	100 X 75	12	185	175	235	Single
SSFN/150X50/PT/PU	150	50	125 X 100	100 X 75	12	185	200	260	Double
SSFN/200X50/PT/PU	200	50	125 X 125	100 X 100	12	245	225	300	Double





KING CRAFT INDUSTRIES

Unit No. 55, Phase II, Parmar Techno Center,

Vasai Phata, Vasai (East), District Palghar - 401208 - Maharashtra, India

Email : kingcraftindustries@gmail.com | info@kingcraftcaster.com

Web : www.kingcraftcaster.com

Mobile : +91 +91 9892341462 | 7350011462 | +91 9920915359

